

Technical specification and branding options

Technical specifications.



Weight: 100kg



Wind load: up to 100km/h



Load bearing: up to 300kg



Surface: 25m²



Setup time: 10'




Setup crew: 2 people

(with a special tool)

[Download product sheet](#)

Branding & decoration.

Choose between an inner or outer PVC or PES (un-)branded membrane, with or without (un-)branded backdrop or PVC, mesh, Reboard or Stadur banners.



Technical specifications.



Weight: 100kg



Wind load: up to 50km/h



Load bearing: up to 350kg*



Viewing angle: 180°



Setup time: 7'



Setup crew: 2 people

[Download product sheet](#)

Technical specifications.



Weight: 100kg



Wind load: up to 50km/h



Load bearing: up to 350kg*



Viewing angle: 107°



Setup time: 7'



Setup crew: 2 people

[Download product sheet](#)

Technical specifications.



Weight: 100kg



Wind load: up to 50km/h



Load bearing: up to 350kg*



Viewing angle: 300°




Setup time: 7'




Setup crew: 2 people

[Download product sheet](#)

Branding.








Branding.



Branding.






Technical specifications.

-  Weight: 250kg
-  Indoor use only
-  Load bearing: up to 320kg*
-  Surface: 45m²
-  Setup time: 1h
-  Setup crew: 2 people + front lift

[Download product sheet](#)

Branding.



Branding options.

Membranes.

domes, stages and curved event structures can be branded thanks to personalizable inner or outer membranes.



Tech specs.

- Two options
 - PES: 100% polyester (270 gr/m²) with PU coating
 - PVC: PVC 570g/m²
- Different colours available with the option of adding your own logo on one side
- Also the possibility to print it one side full-colour with your own design.

Backdrops.

If you're thinking of getting a personalized inner or outer membrane, then why not get a branded backdrop to match?



Tech specs.

- Two options
 - PES: 100% polyester (270 gr/m²) with PU coating
 - PVC: PVC 570g/m²
- Different colours available with the option of adding your own logo on one side
- Also the possibility to print it one side full-colour with your own design.
- A door can be added.

Banners.

Personalization banners come in different shapes and sizes, depending on your dome or stage of preference.



Tech specs.

- PVC banners: blockout, R/V printing (610gr/m²)
- Mesh banners, ideal for windy conditions
- Reboard panels: R/V printing (325gr/m²)
- Stador panels: R/V printing (1.98 – 4.24 kg/m²)

